



Permit No. 84761

## THE STATE OF NEVADA

### PERMIT TO APPROPRIATE WATER

Name of Permittee: THOMAS T. COATES AND CALI M. COATES  
Source: UNDERGROUND  
Basin: NORTH FORK AREA  
Manner of Use: QUASI-MUNICIPAL  
Period of Use: JANUARY 1ST THROUGH DECEMBER 31ST  
Priority Date: 01/26/2015

\*\*\*\*\*

#### APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins or before the proof of completion of work is filed. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water granted herein at any and all times.

The well must be sealed from ground level to 100 feet in accordance with NAC 534.380 and the screened area of the well casing cannot start prior to 150 feet below the ground surface elevation.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 0.1 cubic feet per second or 2.24 acre-feet annually.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

August 15 2017

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:

August 15 2019

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 15<sup>th</sup> day of August, 2016

